



DACON
ALUMINIUM EXTRUSION

ALUMINIUM CATALOGUE



07-2122-1991



TKDN >51%



Certificate
ID21/05683



Our Website


PT. Mega Niaga Sejahtera

Kawasan Industri Wanaherang, Jl. Raya Cikuda
Wanaherang No.27, RT.04/RW.01, Wanaherang,
Kec. Gunung. Putri, Kabupaten Bogor, Jawa Barat 16965

☎ 0821-1772-5677 📞 +6221-8671-918


Profile Categories

- Shop Front 3 in
- Shop Front 4 in
- Sliding Door
- Sliding Window
- Casement Window
- Swing Door
- Folding Door
- Curtain Wall
- Commodities




Section No.	Thickness (mm)
-------------	----------------

0411	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

72012	0.90
-------	------




Section No.	Thickness (mm)
-------------	----------------

0412	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

0414	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

0415	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

0428	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

0429	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

0504	0.80
------	------




Section No. Thickness (mm)

0555 0.80




Section No. Thickness (mm)

6090 1.00




Section No. Thickness (mm)

60428 0.80




Section No. Thickness (mm)

53191 0.90




Section No. Thickness (mm)

60429 0.80




Section No. Thickness (mm)

60414 0.80




Section No. Thickness (mm)

60560 0.90




Section No. Thickness (mm)

0554 0.90




Section No. Thickness (mm)

0558 0.90




Section No. Thickness (mm)

0560 0.90




Section No. Thickness (mm)

0561 0.90




Section No. Thickness (mm)

0559 0.90





Section No. Thickness (mm)


2030 0.90



Section No. Thickness (mm)

60558 0.90






Section No.	Thickness (mm)
-------------	----------------

9108


0.80



Section No.	Thickness (mm)
-------------	----------------

9055


0.80



Section No.	Thickness (mm)
-------------	----------------

9056


0.80



Section No.	Thickness (mm)
-------------	----------------

9058


0.90



Section No.	Thickness (mm)
-------------	----------------

9054


0.80



Section No.	Thickness (mm)
-------------	----------------

9102


0.80



Section No.	Thickness (mm)
-------------	----------------

9103


0.80





Section No.	Thickness (mm)
-------------	----------------

9104

0.80


	
Section No.	Thickness (mm)
9105	0.80

	
Section No.	Thickness (mm)
9106	0.80




Section No. Thickness (mm)

035 0.80




Section No. Thickness (mm)

037 0.80




Section No. Thickness (mm)

0668 0.80




Section No. Thickness (mm)

038 0.80




Section No. Thickness (mm)

040 0.80




Section No. Thickness (mm)

039 0.80




Section No. Thickness (mm)

036 0.80




Section No.	Thickness (mm)
-------------	----------------

8309	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

1826	0.90
------	------




Section No.	Thickness (mm)
-------------	----------------

1827	0.80
------	------



Section No.	Thickness (mm)
-------------	----------------

1828	0.90
------	------




Section No.	Thickness (mm)
-------------	----------------

1829	0.90
------	------




Section No.	Thickness (mm)
-------------	----------------

8130	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

5204	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

5302	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

2001	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

2005	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

2006	1.05
------	------




Section No.	Thickness (mm)
-------------	----------------

2002	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

2003	0.80
------	------




Section No.	Thickness (mm)
-------------	----------------

2007	1.05
------	------




Section No.	Thickness (mm)
-------------	----------------

2008	1.05
------	------




Section No.	Thickness (mm)
-------------	----------------

2398	1.00
------	------




Section No. Thickness (mm)

5346 2.00




Section No. Thickness (mm)

5564 0.80




Section No. Thickness (mm)

5565 0.90




Section No. Thickness (mm)

2000 1.10




Section No. Thickness (mm)

2004 1.05




Section No.	Thickness (mm)
-------------	----------------

57051	1.10
-------	------




Section No.	Thickness (mm)
-------------	----------------

5705	1.10
------	------




Section No.	Thickness (mm)
-------------	----------------

57031	1.20
-------	------




Section No.	Thickness (mm)
-------------	----------------

57012	1.10
-------	------




Section No.	Thickness (mm)
-------------	----------------

6023	2.00
------	------




Section No.	Thickness (mm)
-------------	----------------

6013	1.30
------	------




Section No.	Thickness (mm)
-------------	----------------

5207	1.20
------	------




Section No.	Thickness (mm)
-------------	----------------

5211	1.10
------	------




Section No.	Thickness (mm)
-------------	----------------

5203	1.00
------	------




Section No.	Thickness (mm)
-------------	----------------

6007	1.20
------	------




Section No.	Thickness (mm)
-------------	----------------


6008	1.00
------	------



Section No.	Thickness (mm)
-------------	----------------


5202	1.20
------	------

	
Section No.	Thickness (mm)
6010	1.20




Section No.	Thickness (mm)
-------------	----------------

SGT	1.70
-----	------




Section No.	Thickness (mm)
-------------	----------------

SGT (10X22MM)	1.20
---------------	------




Section No.	Thickness (mm)
-------------	----------------

SGT (12X14MM)	1.20
---------------	------




Section No.	Thickness (mm)
-------------	----------------

SGT (12.5X25MM)	1.20
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

SK (7MM)	0.50
----------	------




Section No.	Thickness (mm)
-------------	----------------

SK (10MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

SK (12.7MM)	0.90
-------------	------




Section No.	Thickness (mm)
-------------	----------------

SK (13MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

SK (15.875MM)	0.90
---------------	------




Section No.	Thickness (mm)
-------------	----------------

SK (16MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

SK (19.05MM)	0.90
--------------	------




Section No.	Thickness (mm)
-------------	----------------

SK (25.4MM)	0.90
-------------	------




Section No.	Thickness (mm)
-------------	----------------

SK GRS (12MM)	0.60
---------------	------




Section No.	Thickness (mm)
-------------	----------------

U (7MM)	0.50
---------	------




Section No.	Thickness (mm)
-------------	----------------

U (8MM)	0.60
---------	------




Section No.	Thickness (mm)
-------------	----------------

U (9MM)	0.60
---------	------




Section No. Thickness (mm)

U (12MM) 0.60




Section No. Thickness (mm)

U (12.7MM) 0.90




Section No. Thickness (mm)

U (15.875MM) 0.90




Section No. Thickness (mm)

U (19.05MM) 0.90



Section No. Thickness (mm)

U (12.7X25.4MM) 0.80




Section No. Thickness (mm)

U (12.7X50.8MM) 0.80




Section No. Thickness (mm)

U (19X100MM) 0.90




Section No. Thickness (mm)

U GRS (8MM) 0.60




Section No.	Thickness (mm)
-------------	----------------

U GRS (9MM)	0.60
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (10MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HL (16MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HL (17MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HL (20MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HL (22.5MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (23MM)	0.50
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HL (38.1MM)	0.90
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (44.45MM)	1.00
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (50.8MM)	1.00
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (8X12MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (8X13MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (9X13MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (10X14MM)	0.50
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (10X16MM)	0.50
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (10X18MM)	0.50
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (10X20MM)	0.50
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (11X23MM)	0.50
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (22X34MM)	0.60
--------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (23X34.5MM)	0.60
----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (25.4X38.1MM)	0.90
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (25.4X50.8MM)	0.80
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (25.4X76.2MM)	0.85
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (25.4X101.6MM)	1.00
-------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (44.45X76.2MM)	1.00
-------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL (44.45X101.6MM)	1.20
--------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL GRS (12X20MM)	0.70
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL + U (17MM)	0.60
---------------	------




Section No.	Thickness (mm)
-------------	----------------

HL + U (7X13MM)	0.50
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL + U (9X13MM)	0.50
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL + U (10X14MM)	0.50
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL + U (10X18MM)	0.50
------------------	------




Section No. Thickness (mm)

HL + U (10X21MM) 0.50




Section No. Thickness (mm)

HL + U (11X23MM) 0.50




Section No. Thickness (mm)

HL + U KB (12MM) 0.60




Section No. Thickness (mm)

HL + U KB (13MM) 0.60




Section No. Thickness (mm)

HL + U KB (15MM) 0.60




Section No. Thickness (mm)

HL KHUSUS (22.8MM) 0.70




Section No. Thickness (mm)

HL+U+SK (10X14MM) 0.50




Section No. Thickness (mm)

HL+U+SK (7X13MM) 0.50




Section No.	Thickness (mm)
-------------	----------------

HL+U+SK (9X13MM)	0.50
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL+U DLM (25X36MM)	0.60
--------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PGL (20MM)	0.50
---------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PGL (22.5MM)	0.50
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PGL (21X33MM)	0.60
------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PGL (23X34.5MM)	0.60
--------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PKB (20MM)	0.60
---------------	------




Section No.	Thickness (mm)
-------------	----------------

HL PKB U (20MM)	0.60
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL R (13MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL R (14MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

HL R (17.5X27.5MM)	0.60
--------------------	------




Section No.	Thickness (mm)
-------------	----------------

HL R (21X33MM)	0.60
----------------	------




Section No.	Thickness (mm)
-------------	----------------

HL R GRS(22.5X45MM)	0.60
---------------------	------




Section No.	Thickness (mm)
-------------	----------------

HG (23MM)	0.60
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HG (28MM)	0.60
-----------	------




Section No.	Thickness (mm)
-------------	----------------

HG (30MM)	0.60
-----------	------




Section No. Thickness (mm)

HG OB (22MM) 0.60




Section No. Thickness (mm)

HG OB (23MM) 0.60




Section No. Thickness (mm)

HG OB (23X34.5MM) 0.60




Section No. Thickness (mm)

HG OS (22MM) 0.60




Section No. Thickness (mm)

HG OS (23X34.5MM) 0.60




Section No. Thickness (mm)

HG OS (30MM) 0.60




Section No. Thickness (mm)

HG SGGOT (22MM) 0.60




Section No. Thickness (mm)


PB (6MM) 0.50




Section No.	Thickness (mm)
PB (7MM)	0.50




Section No.	Thickness (mm)
PB (8MM)	0.50




Section No.	Thickness (mm)
PB (10MM)	0.50




Section No.	Thickness (mm)
PB (16.5MM)	0.50




Section No.	Thickness (mm)
PB (19.4MM)	0.50




Section No.	Thickness (mm)
PB (23MM)	0.50



Section No.	Thickness (mm)
PB (25MM)	0.70




Section No.	Thickness (mm)
PB (27MM)	0.60




Section No.	Thickness (mm)
-------------	----------------

PS (8.50MM)	0.80
-------------	------



Section No.	Thickness (mm)
-------------	----------------

PS (12.7MM)	0.80
-------------	------




Section No.	Thickness (mm)
-------------	----------------

PS (23.5MM)	0.50
-------------	------




Section No.	Thickness (mm)
-------------	----------------

U UMH	0.60	0.70
-------	------	------




Section No.	Thickness (mm)
-------------	----------------

M UMH	0.60
-------	------




Section No.	Thickness (mm)
-------------	----------------

M UMH (11X23MM)	0.70
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

H UMH	0.60	0.70
-------	------	------




Section No.	Thickness (mm)
-------------	----------------

H LTR (5X7MM)	0.50
---------------	------




Section No.	Thickness (mm)
-------------	----------------

H BESAR	0.80
---------	------




Section No.	Thickness (mm)
-------------	----------------

TRSP (19.05MM)	0.80
----------------	------




Section No.	Thickness (mm)
-------------	----------------

TRSP (25.4MM)	0.80
---------------	------




Section No.	Thickness (mm)
-------------	----------------

LIS PANCING	0.80
-------------	------




Section No.	Thickness (mm)
-------------	----------------

STIFFENER	1.00
-----------	------




Section No.	Thickness (mm)
-------------	----------------

SP DBL (10.8X84MM)	0.80
--------------------	------




Section No.	Thickness (mm)
-------------	----------------

SPANREL (10CM)	0.80
----------------	------




Section No.	Thickness (mm)
-------------	----------------

SPANREL (11CM)	0.90
----------------	------




Section No.	Thickness (mm)
-------------	----------------

SPANREL RATA	0.60
--------------	------




Section No.	Thickness (mm)
-------------	----------------

SPANREL TIPIS	0.60
---------------	------




Section No.	Thickness (mm)
-------------	----------------

SPO (6.5X132.5MM)	1.00
-------------------	------




Section No.	Thickness (mm)
-------------	----------------

SPGE (5.85X136MM)	0.85
-------------------	------




Section No.	Thickness (mm)
-------------	----------------

SLIDE RD	0.60
----------	------




Section No.	Thickness (mm)
-------------	----------------

OBK (13.4cm)	0.80
--------------	------




Section No.	Thickness (mm)
-------------	----------------

OBK + U (12CM)	0.80
----------------	------




Section No.	Thickness (mm)
-------------	----------------

OBK + U (13.4CM)	0.80
------------------	------




Section No.	Thickness (mm)
-------------	----------------

OPEN BACK (8.5CM)	0.60
-------------------	------




Section No.	Thickness (mm)
-------------	----------------

OPEN BACK (9CM)	0.60
-----------------	------




Section No.	Thickness (mm)
-------------	----------------

JALUSI B	0.90
----------	------




Section No.	Thickness (mm)
-------------	----------------

JALUSI K	0.90
----------	------




Section No.	Thickness (mm)
-------------	----------------

TIANG RD	0.80
----------	------




Section No.	Thickness (mm)
-------------	----------------

BOTTOM RD	0.90
-----------	------




Section No.	Thickness (mm)
-------------	----------------

CENTREPOST	1.00
------------	------




Section No.	Thickness (mm)
-------------	----------------

TG AM (19X70.5MM)	0.80
-------------------	------




Section No. Thickness (mm)

BRACKET IKAN 4.00




Section No. Thickness (mm)

HANDEL SWING 1.80




Section No. Thickness (mm)

HANDEL BAMBU 1.70




Section No. Thickness (mm)

0137 1.70




Section No. Thickness (mm)

NEON SIGN (13CM) 1.10




Section No. Thickness (mm)

NEON SIGN (17CM) 1.25




Section No. Thickness (mm)

REL GORDYN 0.50



Section No. Thickness (mm)

REL GORDYN OVAL 0.60

	
Section No.	Thickness (mm)
5566	0.50

DISTRIBUTOR DACON ALUMINIUM

DKI Jakarta

AX Aluminium Tanah Tinggi Jl. Tanah Tinggi Timur No.9-10 Harapan Mulya
Kec. Kemayoran Jakarta Pusat
☎ 0822-1118-1124

Banten

AX Aluminium Serpong Jl. Raya Serpong KM.7 No.8 Kota Tangerang Selatan
☎ 0822-1118-1140 | 0822-1118-1141
☎ 021-22219036 | 021-22219660

XTAL Aluminium Serpong Jalan Raya Serpong Km. 8, Pd. Jagung, Kec. Serpong Utara
Kota Tangerang Selatan, Banten 15322
☎ 0813-8050-2506 | 021-5315-7917/18/19

Sulawesi Selatan

AX Aluminium Makassar Jalan Perintis Kemerdekaan No.14-15. RUKO NTI, Kapasa, Tamalanrea
Kapasa, Kec. Tamalanrea, Kota Makassar, Sulawesi Selatan 90245
☎ 041-1899-1618 | 0853-9804-04060 | 0813-4379-6448

XTAL Aluminium Makassar Jl. Galangan Kapal no. 16, kel. Kaluku Bodoa, kec. Tallo, Makassar
☎ 0852-8067-4326 | 0852-8067-4324

Jawa Timur

AX Aluminium Surabaya Jalan Raya Manukan Wetan No.60, Manukan Wetan, Kecamatan Tandes,
Surabaya, Jawa Timur 60185
☎ 0823-3753-8619 | 0823-3753-8618

AX Aluminium Malang Jl. Tenaga Selatan 1 No.2, RT 06/RW 05, Kelurahan Blimbing,
Kec. Blimbing Kota Malang, Jawa Timur 65126
☎ 0341-1438-7024 | 0821-3990-7808
☎ 0852-2515-9207 | 0852-2515-9208 | 0852-2515-9209

AX Aluminium Jember Jalan Mojopahit No. 9, Gerdu, Kecamatan Sempusari,
Kabupaten Jember, Jawa Timur 68131
☎ 0812-8591-2865 | 0812-1242-6035

AX Aluminium Kediri Jalan Raya Urip Sumoharjo Nomor 358, Kelurahan Ngronggo,
Kecamatan Kediri, Kota Kediri, Jawa Timur 64129
☎ 0813-9859-5539 | 0812-1242-6136

Jawa Tengah

AX Aluminium Semarang Jalan Citarum No.53, Bugangan, Kec. Semarang Tim,
Kota Semarang, Jawa Tengah 50126
☎ 0821-3329-0792 | 0821-3329-0793 | 0821-3329-0794
☎ 024-3582031/32/33

AX Aluminium Purwokerto Jalan Jenderal Sudirman, Pasiraja Lor, Rejasari, Kecamatan
Purwokerto Barat Kabupaten Banyumas, Jawa Tengah 53134
☎ 0812-8609-3878 | 0812-8591-2835

AX Aluminium Surakarta Jalan Jaya Wijaya Nomor 25, RT 01 RW 33, Kelurahan Mojosongo,
Kecamatan Jebres, Kota Surakarta, Jawa Tengah 57127
☎ 0812-8591-2890 | 0812-8591-2792

DIY Yogyakarta

AX Aluminium Yogyakarta Jalan Imogiri Barat Kilometer 4 Nomor 21, Desa Bangunharjo, Kecamatan
Sewon, Kabupaten Bantul, Daerah Istimewa Yogyakarta 55167
☎ 0812-8591-2879 | 0812-8591-2833

Bali

AX Aluminium Denpasar Jl. Gatot Subroto Barat No. 350, Kelurahan Ubung, Denpasar Utara
☎ 0812-3788-7917 | 0813-9807-7645

Sumatera Selatan

AX Aluminium Palembang Jl. Perintis Kemerdekaan No. 636 Lawang Kidul, Kec. Ilir Timur II, Palembang
☎ 0852-8067-5937 | 0852-8067-5938

DISTRIBUTOR DACON ALUMINIUM

Riau

AX Aluminium Pekanbaru Jl. Riau Ujung No. 198 G-H, kel. Tampan, kec. Payung Sekaki, Pekanbaru
☎ 0852-8067-5935 | 0852-8067-5934

AX Aluminium Batam Jl. Yos Sudarso Bengkong 02, kel. Kampung Seraya, kec. Batu Ampar, Batam
☎ 0852-8067-5929 | 0852-8067-5927

Sumatera Barat

AX Aluminium Padang Jl. By Pass, Pisang, Kec. Pauh, Kota Padang, Sumatera Barat 25147
☎ 0852-8067-4376 | 0852-8067-4375

Lampung

AX Aluminium Lampung Jl. Teuku Umar No.19, Sidodadi, Kec. Kedaton, Kota Bandar Lampung, Lampung 35123
☎ 0852-8067-5940 | 0852-8035-6382

Kalimantan Timur

AX Aluminium Samarinda Jl. Teuku PM. Noor No. 89, kel. Sempaja Selatan, kec. Samarinda Utara, Samarinda
☎ 0852-8067-4374 | 0852-8067-4377

AX Aluminium Balikpapan Jl. Mulawarman 01, kel. Manggar, kec. Balikpapan Timur, Balikpapan
☎ 0852-8067-4316 | 0852-8067-4318

Jawa Barat

XTAL Aluminium Sentul Jalan Alternatif Sentul No.5, Cijujung, Kec. Sukaraja, Bogor, Jawa Barat 16710
☎ 0858-1455-1544

AX Aluminium Sholis Bogor Jalan Sholeh Iskandar No.9, RT.01/RW.06, Kedunghalang, Kec. Bogor Utara Kota Bogor, Jawa Barat 16710
☎ 025-1866-6123 | 0856-9490-1946

Arya Satya Aluminium Jl. Moh. Toha No.255-257, Ciseureuh, Kec. Regol, Kota Bandung, Jawa Barat 40243
☎ 0819-0888-0428 | 0821-2033-2601

AX Kharisma Bandung Soekarno-Hatta St No.329, Kebon Lega, Bojongloa Kidul, Bandung City, West Java 40235
☎ 0822-1445-5055

Aletha Aluminium Jl. Kiara Condong No.421, Kb. Kangkung, Kec. Kiaracondong, Kota Bandung, Jawa Barat 40284
☎ 0896-5665-3923 | 0818-0223-2609

AX Aluminium Cirebon Jalan Ahmad Yani No.12, Kecapi, Kec. Harjamukti, Kota Cirebon, Jawa Barat 45142
☎ 0821-1535-2626

AX Aluminium Tasikmalaya Jalan Letnan Harun No.21, Sukamulya, Kec. Bungursari, Tasikmalaya, Jawa Barat, 46151
☎ 0812-8472-0399 | 0812-2488-9243

AX Aluminium Bekasi Jalan Cut Mutia No.49, RT.003/RW.001, Sepanjang Jaya, Kec. Rawalumbu, Kota Bekasi Jawa Barat 17114
☎ 021-8243-7856 | 021-8243-7857


AX Aluminium Gunung Putri Kawasan Industri, Jl. Raya Cikuda Wanaherang No.27, Wanaherang, Kec. Gunung Putri, Kabupaten Bogor, Jawa Barat 16965
☎ 021-867-1918 | 0813-1510-5266



DACON

ALUMINIUM EXTRUSION

BAHAN ALUMINIUM
EKONOMIS DAN BERKUALITAS!



CONTACT

Address

Kawasan Industri, Jl. Raya Cikuda
Wanaherang No.27, RT.04/RW.01,
Wanaherang, Kec. Gn. Putri,
Kabupaten Bogor, Jawa Barat 16965

Phone

0821 1772 5677

Online

🌐 mpg.co.id
✉ exportsales@mpg.co.id
✉ domesticsales@mpg.co.id
@ [dacon_aluminium](#)
f [DACON Aluminium](#)
▶ [MPG](#)