DACON

ALUMINIUM EXTRUSION

CATALOGUE PROFILE

DACON
ALUMINIUM EXTRUSION

CONTENT

OFFICE

Jl.Raya Cikuda No.87. RT 001 RW 007
Desa Wanaherang, Kec Gunung Putri, Kab.Bogor 16965

P. +621 22940618
+621 22940979

DACON
ALUMINIUM EXTRUSION

CONTENT

OFFICE

Jl.Raya Cikuda No.87. RT 001 RW 007
Desa Wanaherang, Kec Gunung Putri, Kab.Bogor 16965

P. +621 22940618
+621 22940979

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1A

SHOP FRONT 3 INCH ECONOMY

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0411	0.80	0.147	131.583



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0412	0.80	0.207	187.170



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0414	0.80	0.415	366.940



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0415	0.80	0.148	134.753



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0428	0.80	0.378	347.167



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0429	0.80	0.439	402.754



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0504	0.80	0.413	366.80



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0555	0.80	0.073	62.098



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6090	1.00	0.123	102.66



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
53191	0.90	0.263	199.42



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60414	0.80	0.456	394.24



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60428	0.80	0.419	374.47



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60429	0.80	0.480	430.06



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
72012	0.90	0.506	384.39

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1B

SHOP FRONT 3 INCH

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04110211	1.00	0.183	132.549



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04120211	1.00	0.284	206.519



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04140211	1.00	0.518	370.817



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04150211	1.00	0.201	147.513



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04280211	1.00	0.479	353.249



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
04290211	1.00	0.580	427.220



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
05040211	1.00	0.498	363.54



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
05550211	1.00	0.086	70.438



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
604140211	1.00	0.565	398.21



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
604280211	1.00	0.526	380.64



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
604290211	1.00	0.627	454.61

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1C

SHOP FRONT 4 INCH

SCALE 1:3



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2030	0.90	0.573	458.42
20300111	1.00	0.618	454.93



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0554	0.90	0.241	198.64
05540111	1.00	0.270	197.49



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0558	0.90	0.593	462.56
05580111	1.00	0.655	463.33



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0559	0.90	0.630	516.80
05590111	1.00	0.705	519.39



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0560	0.90	0.540	446.20
05600111	1.00	0.603	444.20



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0561	0.90	0.222	173.84
05610111	1.00	0.243	174.15



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0562	0.90	0.311	246.54
05620111	1.00	0.346	249.43



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60558	0.90	0.638	494.79
605580111	1.00	0.714	498.41



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60559	0.90	0.676	550.56
605590111	1.00	0.764	554.33



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
60560	0.90	0.587	476.77
605600111	1.00	0.661	479.13

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1D

SLIDING DOOR

SCALE 1:2







SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9054	0.80	0.386	256.32

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9055	0.80	0.386	231.15

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9056	0.80	0.303	275.61







SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9058	0.90	0.479	391.96

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9102	0.80	0.479	428.76

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9103	0.80	0.377	318.22







SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9105	0.80	0.265	238.85

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9106	0.80	0.206	160.25

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9108	0.80	0.212	197.38



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
9104	0.80	0.308	284.42

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1E

SLIDING WINDOW

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
035	0.80	0.211	136.01



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
036	0.80	0.256	177.86



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
037	0.80	0.288	250.37



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
038	0.80	0.206	186.47



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
039	0.80	0.253	234.98



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
040	0.80	0.353	310.51



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0668	0.80	0.283	237.37

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1F

CASEMENT WINDOW

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1823	0.90	0.418	253.13



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1826	0.90	0.371	205.43



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1827	0.80	0.385	226.81



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1828	0.90	0.170	139.21



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1829	0.90	0.277	218.45



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
8130	0.80	0.172	147.08



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
8309	0.80	0.405	240.15



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
81300111	1.00	0.213	145.11

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1G

SWING DOOR

SCALE 1:3



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2000	1.10	0.941	398.65



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2001	1.00	0.779	373.67



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2002	1.00	0.755	362.59



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2003	0.80	0.127	114.46



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2004	1.05	0.760	320.66



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2005	1.00	0.641	294.13



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2006	1.05	0.678	265.25



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2007	1.05	0.306	215.80



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2008	1.05	0.311	222.05



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
2398	1.00	0.752	364.99



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5346	2.00	1.377	440.57



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5564	0.80	0.120	112.31



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5565	0.90	0.171	142.51

SHOP FRONT : GROUP 1H

FOLDING DOOR

SCALE 1:3



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5705	1.10	0.752	318.99



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
57012	1.10	0.839	376.80



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
57031	1.20	1.019	367.31

DACON
ALUMINIUM EXTRUSION

SHOP FRONT : GROUP 1I

CURTAIN WALL

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5202	1.20	0.327	205.59



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5203	1.20	0.661	269.23



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5204	1.00	0.411	183.68



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5207	1.20	0.550	188.38



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5211	1.20	0.575	185.94



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5302	1.00	0.162	119.85



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6007	1.20	0.863	317.40



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6008	1.00	0.279	203.55



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6010	1.20	0.691	192.00



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6013	1.30	1.068	285.31



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
6023	2.00	1.618	306.00

THICK COMMODITIES : GROUP 2A

FLAT BAR

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
237130307	12.70	0.80	0.027	26.66
237500507	23.50	0.80	0.051	48.26
278001635	20.00	4.00	0.217	48.00
279002138	26.00	5.50	0.388	63.00



THICK COMMODITIES : GROUP 2B

SQUARE BAR

SECTION NO.	A (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)



THICK COMMODITIES : GROUP 2C

ROUND BAR

SECTION NO.	ØA (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
267001231	2.00	0.0085	6.28



THICK COMMODITIES : GROUP 2D

OTHER BAR

DACON
ALUMINIUM EXTRUSION

THICK COMMODITIES : GROUP 2E

EQUAL ANGLE

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
223130309	12.70	0.90	0.059	50.37
223300409	15.88	0.90	0.075	63.09
223320409	19.05	0.90	0.091	75.77
223500709	25.40	0.90	0.122	101.17



THICK COMMODITIES : GROUP 2F

UNEQUAL ANGLE

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
238120315	8.00	13.00	1.20	0.064	41.48
238160315	10.00	22.00	1.20	0.100	63.36
238140215	12.00	14.00	1.20	0.081	52.00
238170415	12.50	25.00	1.20	0.118	74.48
238180119	12.70	26.50	1.30	0.134	77.97
238310125	15.00	28.00	1.70	0.190	85.36



THICK COMMODITIES : GROUP 2G

OTHER ANGLE

DACON
ALUMINIUM EXTRUSION

THICK COMMODITIES : GROUP 2H

EQUAL CHANNEL

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
211130309	12.70	0.90	0.088	73.88
211300409	15.88	0.90	0.112	92.93
211320409	19.05	0.90	0.135	111.98



THICK COMMODITIES : GROUP 2I

UNEQUAL CHANNEL

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
211170307	12.70	25.40	0.80	0.107	99.23
211190107	12.50	50.80	0.80	0.161	149.31
211340109	19.00	100.00	0.90	0.333	274.20



THICK COMMODITIES : GROUP 2J

OTHER CHANNEL

DACON
ALUMINIUM EXTRUSION

THICK COMMODITIES : GROUP 2K

SQUARE HOLLOW

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
212560109	38.10	0.90	0.363	152.40
212720111	44.45	1.00	0.470	177.46
212730111	50.80	1.00	0.540	202.86



THICK COMMODITIES : GROUP 2L

RECTANGULAR HOLLOW

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
212510309	25.40	38.10	0.90	0.301	126.66
212520207	25.40	50.80	0.80	0.324	152.40
212530108	25.40	76.20	0.85	0.460	203.20
212540111	25.40	101.60	1.00	0.680	253.66
212570211	38.10	76.20	1.00	0.610	228.26
212740111	44.45	76.20	1.00	0.643	240.96
212750115	44.40	101.60	1.20	0.934	291.76



THICK COMMODITIES : GROUP 2M

OTHER HOLLOW

SCALE 1:1



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
221500305	0.70	0.189	120.28



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
281160405	0.70	0.115	64.51

THICK COMMODITIES : GROUP 2N

TUBE



SECTION NO.	ØA (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)

OTHER THICK COMMODITIES

SCALE 1:1



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
249000005	0.70	0.105	54.83



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
250000005	0.70	0.106	112.64



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
251000007	0.80	0.182	169.60



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
254000005	0.70	0.113	110.97



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
256320407	0.80	0.065	59.20



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
256500707	0.80	0.079	73.18



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
257000007	0.80	0.074	70.44



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
273001311	1.00	65.93	0.179

DACON
ALUMINIUM EXTRUSION

THICK COMMODITIES : GROUP 2O

OTHER THICK COMMODITIES

SCALE 1:3



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
226000407	0.80	0.259	239.58



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
226001709	0.90	0.328	270.91



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
277200211	1.00	0.403	299.57



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
228001007	0.80	0.439	208.88



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
229200108	0.85	0.364	317.52



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
239000507	0.80	0.437	406.18



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
239000707	0.80	0.468	434.18



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
272000507	0.80	0.450	418.18



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
272000707	0.80	0.485	450.58



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
240000011	0.90	0.234	185.15



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
241000011	0.90	0.412	330.28



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
246000007	0.80	0.263	215.80

DACON
ALUMINIUM EXTRUSION

THICK COMMODITIES : GROUP 2O

OTHER THICK COMMODITIES

SCALE 1:3



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
247000009	0.90	0.408	274.14



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
248000011	1.00	0.678	446.67



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
259380107	0.80	0.437	237.31



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
278810135	4.00	3.200	518.69



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
261000027	1.80	0.873	298.54



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
262000024	1.70	0.465	179.75



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
276001537	5.00	4.777	229.96



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
275001443	8.00	3.481	401.63



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
0137	1.80	0.532	212.76



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
279001816	1.25	0.919	567.41



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
279000613	1.10	0.551	411.05

DACON
ALUMINIUM EXTRUSION

THIN COMMODITIES : GROUP 3A
FLAT BAR

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)



THIN COMMODITIES : GROUP 3B
EQUAL ANGLE



SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)

THIN COMMODITIES : GROUP 3C
UNEQUAL ANGLE



SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)

THIN COMMODITIES : GROUP 3D
OTHER ANGLE

SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
124130203	0.60	0.039	49.94



DACON
ALUMINIUM EXTRUSION

THIN COMMODITIES : GROUP 3E

EQUAL CHANNEL

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
111130203	12.00	0.60	0.056	70.28
111100403	8.00	0.60	0.038	46.11



THIN COMMODITIES : GROUP 3F

UNEQUAL CHANNEL

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
111100603	8.00	9.00	0.60	0.039	48.11



THIN COMMODITIES : GROUP 3G

OTHER CHANNEL



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
110100403	0.60	0.037	46.78



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
110100603	0.60	0.039	46.78

THIN COMMODITIES : GROUP 3H

SQUARE HOLLOW

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)



THIN COMMODITIES : GROUP 3I

RECTANGULAR HOLLOW

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
112360103	21.00	33.00	0.60	0.172	108.00
112510203	22.00	34.00	0.60	0.179	111.66
112360203	23.00	34.50	0.60	0.183	114.66
112330203	18.00	28.00	0.60	0.145	91.48



THIN COMMODITIES : GROUP 3J

OTHER HOLLOW

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
119330103	0.60	0.139	87.42



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
119360103	0.60	0.168	105.42



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
119520103	0.60	0.199	136.58



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
113130203	0.60	0.085	72.04



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
113300103	0.60	0.093	77.78



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
113300303	0.60	0.105	86.31



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
122350203	0.60	0.170	90.70



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
166350203	0.60	0.176	116.42

DACON
ALUMINIUM EXTRUSION

THIN COMMODITIES : GROUP 3J

OTHER HOLLOW

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114320303	0.60	0.127	92.00



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
168350403	0.60	0.145	98.89



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
134350403	0.60	0.166	121.33



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
135350403	0.60	0.161	118.75



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
135500403	0.60	0.168	122.75



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
133550103	0.60	0.198	139.44



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
133550203	0.60	0.211	148.84



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
134550203	0.60	0.220	155.61



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
115360203	0.60	0.177	110.88



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
134510103	0.60	0.212	147.44



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
135510103	0.60	0.209	145.66



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
171510203	0.60	0.207	137.80

TUBE



SECTION NO.	ØA (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
131550303	27.00	0.60	0.135	84.82

THIN COMMODITIES : GROUP 3L

OTHER THIN COMMODITIES

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
1774	0.60	0.090	112.40



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
127000003	0.60	0.171	209.71



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
165000003	0.60	0.161	197.78



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
139000103	0.60	0.227	279.50



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
139000303	0.60	0.235	289.69



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
145000003	0.60	0.142	156.18



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
149000003	0.60	0.079	49.94



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
150000003	0.60	0.085	105.03



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
154000003	0.60	0.096	100.05



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
164000003	0.60	0.110	135.53

DACON
ALUMINIUM EXTRUSION

VERY THIN COMMODITIES : GROUP 4A

FLAT BAR

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
137100503	8.50	0.50	0.012	18.00



VERY THIN COMMODITIES : GROUP 4B

EQUAL ANGLE

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
123100303	7.00	0.50	0.019	27.72
123130103	10.00	0.50	0.027	39.57
123300103	13.00	0.50	0.035	51.57
123320103	16.00	0.50	0.042	63.48



VERY THIN COMMODITIES : GROUP 4C

UNEQUAL ANGLE

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)



DACON
ALUMINIUM EXTRUSION

VERY THIN COMMODITIES : GROUP 4E

EQUAL CHANNEL

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
111100303	7.00	0.50	0.027	40.48



VERY THIN COMMODITIES : GROUP 4F

UNEQUAL CHANNEL

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)



VERY THIN COMMODITIES : GROUP 4H

SQUARE HOLLOW

SECTION NO.	A (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
112130103	10.00	0.50	0.052	40.00
112320103	16.00	0.50	0.084	63.66
112320303	17.00	0.50	0.089	67.66
112350203	20.00	0.50	0.106	79.48
112500103	22.50	0.50	0.119	89.66
112500403	23.00	0.50	0.122	91.48



VERY THIN COMMODITIES : GROUP 4I

RECTANGULAR HOLLOW

SECTION NO.	A (mm)	B (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
112120203	8.00	12.00	0.50	0.052	40.00
112120303	8.00	13.00	0.50	0.054	42.00
112120403	9.00	13.00	0.50	0.057	44.00
112140103	10.00	14.00	0.50	0.063	48.00
112150103	10.00	16.00	0.50	0.068	51.48
112150303	10.00	18.00	0.50	0.073	56.00
112160103	10.00	20.00	0.50	0.079	59.48
112170201	11.00	23.00	0.50	0.089	68.00



VERY THIN COMMODITIES : GROUP 4J

OTHER HOLLOW

SCALE 1:1



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
119300103	0.50	0.065	49.42



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
119300203	0.50	0.071	53.42

DACON
ALUMINIUM EXTRUSION

VERY THIN COMMODITIES : GROUP 4J

OTHER HOLLOW

SCALE 1:2



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114120103	0.50	0.065	60.00



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114120403	0.50	0.073	67.06



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114140103	0.50	0.078	70.71



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114150303	0.50	0.089	78.80



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114160203	0.50	0.098	85.14



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
114170203	0.50	0.106	90.93



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
116120103	0.50	0.071	67.60



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
116120403	0.50	0.081	79.00



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
116140101	0.50	0.085	80.48



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
115350203	0.50	0.102	76.95



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
115500103	0.50	0.115	86.78



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
174520101	0.50	0.203	127.57

DACON
ALUMINIUM EXTRUSION

VERY THIN COMMODITIES : GROUP 4K

TUBE



SECTION NO.	ØA (mm)	T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
131100203	6.00	0.50	0.024	18.85
131100303	7.00	0.50	0.028	21.99
131100403	8.00	0.50	0.032	25.13
131130103	10.00	0.50	0.041	31.42
131320203	16.50	0.50	0.069	51.84
131350103	19.40	0.50	0.081	60.95
131500403	23.00	0.50	0.096	72.26

VERY THIN COMMODITIES : GROUP 4L

OTHER VERY THIN COMMODITIES

SCALE 1:1



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
163001103	0.50	0.024	36.31



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
144000003	0.50	0.081	117.55



SECTION NO.	THICKNESS T (mm)	WEIGHT (Kg/M)	PERIMETER A (mm)
5566	0.50	0.145	213.46

MEGA PERSADA GROUP

18 LINI EKSTRUSI

36,000 TON PRODUKSI & KIRIMAN TAHUNAN

PROSES HULU KE HILIR SECARA MANDIRI:

Melting Furnace

Extrusion Line

Powder Coating

Anodizing

MEGA PERSADA GROUP adalah sebuah kesatuan dari beberapa perusahaan yang bergerak dalam usaha produksi dan distribusi profil aluminium ekstrusi. Dalam waktu yang singkat pula kami telah memiliki belasan lini produksi profil ekstrusi, dijalankan oleh pakarnya dari mancanegara.

Didirikan di Indonesia pada tahun 2001, Mega Persada Group awalnya memasuki dunia profil aluminium dengan menjadi distributor. Dengan pusat di Bogor, Jawa Barat, Mega Persada Group juga menjalankan tungku peleburannya sendiri yang mampu menghasilkan beragam tingkat kelas billet, dan juga belasan mesin ekstrusi. Dalam tahap finalisasi produk, Mega Persada Group juga menjalankan sendiri proses powder coating, anodisasi, dan laminasi produk.

Dengan kapasitas produksi tahunan sebesar 36.000 ton per tahun, Mega Persada Group adalah salah satu perusahaan aluminium dengan pertumbuhan terpesat se-nusantara. Melayani pengiriman dari Sabang sampai Merauke, dari Houston hingga Brisbane. Memotivasi kami, Mega Persada Group, untuk tetap kerap berinovasi dan bertumbuh menciptakan peluang untuk khalayak yang lebih luas lagi.

DACON ALUMINIUM EXTRUSION

FORTA ALUMINIUM EXTRUSION

INFINITO ALUMINIUM EXTRUSION

MEGA PERSADA GROUP

TATA CARA MEMESAN PROFIL ALUMINIUM

1. Customer Menghubungi Sales

Lakukan pemesanan dengan menghubungi anggota tim sales kami melalui WhatsApp dan telepon di nomor-nomor berikut:

- Yulia Darthi (081283112244)
- David (087872023117)
- Abu (082246145809)

2. Input Pemesanan Profil

Lakukan pemesanan profil aluminium dengan memasukan format berikut dalam kolom chat WhatsApp atau diinformasikan melalui telepon:

Format Pemesanan:

- Nama Toko:
- Nama Pemilik:
- Alamat - Kirim/Ambil:
- No Telp:
- Tanggal Referensi Kirim:
- Pesanan:
  - [KODE MERK_KODE PROFIL_KODE WARNA_KUANTITAS]

Contoh Isi Format:

- Toko Untung Terus
- Budiman
- Jl Kenangan no.88, Bekasi, Jawa Barat 13498 - Kirim
- 08xxxxxxx
- Dikirim Sabtu, 21 Oktober 2020
- Pesanan:
  - FRT 60428 CLRA 15 btg
  - FRT Spanrel 10 WHPC 20 btg
  - FRT Jalusi B CLRA 10 btg
  - FRT HL 1x2 BRNA 5 btg

Format Input Kode Profil:

- Non-Commodity
  - FRT 60428 CLRA 15 btg

    Kuantitas
    Warna
    Kode Profil
    Merk

- Commodity *Untuk barang commodity silahkan ketik jenis profil & ukuran (dalam cm/inchi)
  - FRT Spanrel 10 WHPC 20 btg

    Kuantitas
    Warna
    Kode Profil*
    Merk

DACON ALUMINIUM EXTRUSION	FORTA ALUMINIUM EXTRUSION	INFINITO ALUMINIUM EXTRUSION
DCN	FRT	INF

3. Pembayaran Sesuai Pesanan

Lakukan pembayaran dengan transfer ke rekening berikut:

- TRANSFER BCA
  (Kode Bank: 014)
  No Rek: **0833 033 791 a.n.**
  PT Mega Niaga Sejahtera

DACON

ALUMINIUM EXTRUSION

Jl.Raya Cikuda No.87, RT 001 RW 007

Desa Wanaherang,Kec.Gunung Putri,Kab. Bogor 16965

P. +621 22940618

621 22940979